













2017 KOMATSU GD655-6





UNIT: KMTGD032CFA060132

 [Download Reconditioning Printout](#)











UNIT SPECS

Customer Wells Fargo (IMS)

LOCATION

Wells Fargo (IMS)
Please call Pickup Support for location information
Davenport, FL 33897



GENERAL APPEARANCE

UID KMTGD032CFA060132

FEATURES

Features
Cab Type, Enclosed Cab, Air Conditioner, Low Profile,
Air Ride Seat, Rear View Camera, Differential Lock

SAFETY

Travel Alarm	Operational	Horn	Operational
Seat Belts	Operational	Safety Lock Out/Stop	Operational
Current Safety Manual	No	Current Operator/Maintenance Manual	No

CONTROL STATION

Hydraulic Controls	Good	Hydraulic Controls Rating	Good
Steering Control	Good	Drivetrain Controls	Good

Oil Pressure The gauge registers in the operating range.		Warning Lights Operational	
		Gauges Operational	
Hour Meter/Odometer (Start)	4823.9 hrs	Hour Meter/Odometer	4824.1 hrs, Operational hour meter
Air Conditioner	Operational	Heater	Operational
Limited Function Check The drivetrain was operational.			

ENGINE

Emission Certification Label 2015 US EPA Label, Requires Diesel Exhaust Fluid		A/C Compressor Operational	
		Blow by @ idle (subjective visual observation) No noticeable vapor or pressure	
Starter Operational		Radiator Good	
Oil Leaks No dripping leaks		Fuel Leaks No dripping leaks	
Cooling System Leaks No dripping leaks		Limited Function Check (Engine) The engine started and ran.	

DRIVETRAIN

Transmission	Operational	Transmission Rating	Good
Rear Drive Axle Rating	Good	Rear Tandems (Chain Drives) Rating	Good
Limited Function Check The main components are in place and operational as noted.			

HYDRAULICS

Pumps (Hydraulics)	Good	Valves	Good
Hydraulic Tank	Good	Articulation Cylinders - Rating	Good
Hydraulic Motors	Good	Blade Lift Cylinders Rating	Good
Blade Angle Cylinders	Good	Blade Side Shift Cylinders	Good
Saddle Positioning Cylinder	Good	Saddle Lock Pin	Good
Steering Cylinders	Good	Wheel Lean Cylinder	Good
Limited Function Check (Hydraulics) The hydraulic system was operational.			

CHASSIS

Y-frame	Good	Y-frame Pivot Trunnion	Good
Blade Tilt Frame (saddle)	Good	Circle Frame and Brackets	Good
Circle Wear Strips	Good	Circle Support Brackets	Good
Circle Gear Box	Good	Circle Gear	Good
Mold Board Slide Wear Strips Rating	Good	Articulating Center Pins	Good
Front Axle Oscillating Pin	Good	Wheel Tilt Linkage Rating	Good
Belly pans Rating	Good	Limited Function Check (Grader) The main chassis components were operational in a limited check.	
Master Cylinder/Brake Control Rating	Good	Brake Lines/Hoses Rating	Not operationally checked
Park Brake	Good	Limited Function Check - Brakes The service brakes were operational.	
Frame Condition Rating	Good	Tire Brands Left Front: Michelin , Left Middle: Michelin , Left Rear: Michelin , Right Rear: Maxam, Right Middle: Maxam, Right Front: Michelin	
Wheel Condition	Good	Wheel Studs, Nuts, Lugs	Good

SECTION 8

Blade Condition Rating	Good	Blade Cutting Edge Condition	Showing wear
Blade Cutting Edge Condition Rating	Fair		

SECTION 9

General Shipping Information Yes: Does this Unit Run? Yes: If self propelled, does the unit travel? Yes: Inflated Tires - item can roll? No: Is the unit taller than 12'? No: Is the unit wider than 8'6"? No: Noticeable fluid leaks?	Oil Sample Taken?	Yes
---	-------------------	-----

TIRE SIZE: 17.5R25 TIRES

<u>23</u> ^{/32}	<u> </u>	<u> </u>	<u>31</u> ^{/32}
N/A	N/A	N/A	N/A
N/A			N/A

TIRE SIZE: 17.5R25 TIRES

<u>27</u> ^{/32}	<u> </u>	<u> </u>	<u>31</u> ^{/32}
N/A	N/A	N/A	N/A
N/A			N/A

TIRE SIZE: 17.5R25 TIRES

<u>32</u> ^{/32}	<u> </u>	<u> </u>	<u>23</u> ^{/32}
N/A	N/A	N/A	N/A
N/A			N/A

RECONDITIONING

Sheet Metal (Fiberglass) Condition - Left Engine Door has Holes \$1,500



Rear Right Sheet Metal Damage

\$1,500



Blade Cutting Edge Condition - Worn

\$750



Total

\$3,750

“ Tires- 17.5R25 Tires LF- 23/32 - Michelin LM- 27/32 - Michelin LR- 32/32 - Michelin RR- 23/32 - Maxam RM- 31/32 - Maxam RF- 31/32 - Michelin
“ 14 ft Moldboard, Accumulators, Auto Lube, Fast Fuel System