





52036

Volvo
1000 HP 12000 H
1000000

803-812



52036
VOLVO BUS
800 670 0861

05-5173

05-5173
California
8021902



VOLVO

50



NO STANDEES
AUCUN PASSAGER DEBOUT

PLEASE SEAT BELT

PLEASE SEAT BELT

SAFETY SEAT BELT



SAFETY SEAT BELT
PLEASE SEAT BELT

















COMMUTER SHUTTLE PERMIT

05-5173

2019-2020

311



SFMTA



DEF ONLY
For Diesel Exhaust Fluid Only
800-My-Def-Fluid















Print Date: March 16, 2021 12:00 pm

VIN	JCE12V620J3184162
Vehicle Make	Volvo
Model	
Model Year	2018

Vehicle Components

Component	Description	Serial Number	Software Version	Network
Transmission	Allison 3000R99L 5R Gen	D4188DA/77301169	N/A	U198B (Hagglund/ISROS CAN)

Vehicle Key Data Points

Parameter Description	Value	Parameter Description	Value
Idle Fuel Used	Not Available	DPF Soot Level	Not Available
Total Idle Hrs	Not Available	DPF Delete	Not Available
Total Engine Hrs	Not Available	Battery Potential	Not Available
Cruise Set Limit	Not Available	Hard Speed Limit	Not Available
Total Avg Fuel Econ	Not Available	Malfunction Indicator Lamp	Off
Red Stop Lamp	Off	Amber Warning Lamp	Off
Protect Lamp	Off	Parking Brake Switch	Not Available
DPF Lamps Cleared	Not Available	Exhaust System High Tempstat	Not Available
ABS Control Status	Not Available	ABS Control Status, Trailer	Not Available
Engine Speed	601 rpm	Odometer	87,805.18 mi
Engine Utilimeter	67.6/6.78 mi	Instrument Cluster Odometer	Not Available

Vehicle Issues

☒ Control/Driver ABC

Faults

Status	Component	Description	Lookup Code	FMI	Count
--------	-----------	-------------	-------------	-----	-------





VOLVO

9780 US CAN

CAN 125-2

MANUFACTURED BY/FABRIQUE PAR

VOLVO TRUCK NORTH AMERICA

DATE OF MFG :

JAN 1995

DATE DE FAB :

JAN 1995

G.V.W.R. :

P.N.B.V. : 27400 KG (9400 LBS)

AXLES/ ESSIEUX	G.A.W.R./ P.N.B.E.		TIRES/ PNEUS	RIMS/ JANTES	COLD INFLATION PRESS./ PRESS. A FROID		SINGLE OR DUAL/ SIMPLE OU DOUBLE
	KG	(LBS)			KPA	(PSI)	
FRONT: AVANT:	7184	16500	315 80R22.5 (J)	22.5/9.00	830	120	S
INT: DIFF:	10024	22100	315 80R22.5 (J)	22.5/9.00	520	90	D
REAR: TANDEM:	4899	10800	315 80R22.5 (J)	22.5/9.00	586	85	S

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S. FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND CANADIAN MOTOR VEHICLE SAFETY REGULATIONS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE/. CE VEHICULE QUI LUI SONT APPLICABLES EN VERTU DES REGLEMENTS SUR LA SECURITE EST EN VIGUEUR A LA DATE DE SA FABRICATION INDIQUEE CI-HAUT.

VEHICLE IDENTIFICATION NO.
NO. IDENTIFICATION VEHICULE

3CET2V925J5189192

TYPE: BUS B/A

52036

 WeDriveU
TCP 0014283-A
CA 225455





VOLVO

50

WeDriveU
TCP 0014288-A
CA 225455







52036
NORTH OLYMPIA
800-670-5544

VOLVO

5700

05-5173

California
60245K2








30

20

250

E



139 psi

139 psi

11:34 AM

87801.6 mi

87801.6 mi

WFO-4 Commercial Vehicle Diagnostics 2020-v2



Cannot Detect ABS

2018 Volvo Vehicle

Engine

Allison 3000/4000 5th Gen

Status

Component

Description

Lookup Code: FHE - Coast



Clear Faults



Refresh



Test Stop



Initial Training



Power

Crank Amp Load

0

amp

Battery Potential

00

volt

Boost Speed Limit

0

mph

Total Avg Fuel Econ

00

mpg

Total Engine Hrs

0.0

hrs

Engine Speed



2018 Fuel Load

Not Applicable

2018 Fuel Load

Not Applicable

Total Fuel Econ

00

mpg

5th Gen Fuel Econ

00

mpg

Vehicle Information

Unit: 3020200000000000

Manufacturer: Volvo

Model Year: 2018

Type: 2018 Volvo

DELL





ON ALL SHUTTLES

The handling of waste and clean-up matters are not important to
most shuttle customers. They want clean and comfortable shuttles. They want
shuttles that are clean and comfortable. They want shuttles that are clean and comfortable.
Please check us out.





CAUTION
110 VOLTS



OR 220 100







COMMUTER SHUTTLE PERMIT

05-5173

California -
60215K2

IMPORTANT ENGINE INFORMATION

LABEL NO. 1014

ENGINE MODEL D13N-435

SERIAL NO. 1190698

ADVERTISED HP
25/1745

FUEL RATE @ ADVERTISED HP
218 mm³/STROKE

IDLE SPEED
550-700 RPM

ENGINE BRAKE
WEB

EXHAUST ROCKER 10mm

DELEGATED ASSEMBLY

FOR CALIFORNIA: CALIFORNIA REGULATIONS APPLICABLE TO 2011 AND LATER YEAR
EQUIPMENT. THIS ENGINE IS A PRIMARY MEDIUM SERVICE APPLICATION AS A POWER HEAVY-DUTY DIESEL ENGINE.







COMMUTER SHUTTLE PERMIT

