



2035

MCOACH rideMcoach.com

800-777-1242
MC 1004
CA 100470
TOP 4170-A
SUNBELT EXPRESS
LA BREA, CA

NO
SCHOOL
BUS

03333



2035

VAN HOOB



MCOACH

California

800-375-2442
800-375-2443
24 HOURS
TOLL FREE
IN CALIFORNIA
800-375-2444













US D
MC-3A
CA-18
TCP-12
DOUBLE P
LA MIRA









US
MC
CA
TC
DOU
LA

























VANHOOL



















US DOT- 824330
MC-36642
CA-183070
TCP-12763 A
DOUBLE HI EXPRESS
LA MIRADA, CA.





Print Date: February 08, 2021 2:19 PM

VIN	YF2XC8286G0046085
Vehicle Make	Vauxhall
Model	CX
Model Year	2016

Vehicle Components

Component	Description	Serial Number	Software Version	Notes
Engine	Common Rail 2.0L I4	T50483M	ES5171H 05132392 000215103513 00460047 121 0329	1100 (High)
Transmission	Manual 6-Speed 160 Nm Torque	040854W0100000	W116023 PC 5.0001 C182010000020	1100 (High) (V6) (CAM)
Tire Pressure Monitor	Direct Sensor Tire Pressure Monitoring System	N/A	SMT0 APP248.0053 V2.20 BL0248.0363 V1.05 APP248.0074 V03.15	1100 (High)
Vehicle Display Device	Radio Shack/TruTrak™ TPMS in CAN	1E41000	SMTR 0008857 V1.0	1100 (High)

Vehicle Key Data Points

Parameter Description	Value	Parameter Description	Value
Idle Fuel Used	4.735 88 gal	DPF Soot Level	Low
Total Idle Hrs	4,034.20 hrs	DPF Delete	Low
Total Engine Hrs	11,600.25 hrs	Battery Potential	28.40 volts
Cruise Spd Limit	71 00 mph	Reset Spd Limit	74 00 mph
Total Avg Fuel Econ	6.20 mpg	Malfunction Indicator Lamp	Off
Red Stop Lamp	On	Amber Warning Lamp	On
Parking Lamp	Off	Parking Brake Switch	Off
DPF Lamp Command	Off	Exhaust System High Temp Alert	Off
ABS Control Status	Not Available	ABS Control Status, Trailer	Not Available
Engine Speed	620 rpm	Odometer	327,343.16 mi
Engine Odometer	327,343.16 mi	Instrument Cluster Odometer	Not Available
Fuel	Normal	Cutlery	Normal
Global Exhaust Fluid	86%		

Vehicle Issues



1 Active Fault(s) Present

File Date: February 09, 2021 2:19 PM

Faults						
Status	Component	Description	Lookup Code	PMI	Count	
Active	Brakes	SAE - Controller RT - Bad intelligent device or component.	SPN 629	1C	4	
Active	Tire Pressure Controller	Tire Pressure Second Level Pressure Low	SPN 241	1	445	
Active	Tire Pressure Controller	Alt Response For Tire Sensor	SPN 629	1E	445	
Inactive	Engine	Power Supply Lost With Ignition On - Data Error: Invalid/lost, or incorrect Supply voltage to the ECM has been 6.2 VDC momentarily, or the ECM was not allowed to power down correctly (certain battery voltage for 30 seconds after key OFF). - First occurrence: 8828 12:43. Last occurrence: 11841 18:23	1117	665	4	
Inactive	Engine	Engine Coolant Temperature - Data Valid But Above Normal Operational Range - Least Severe Level: Engine coolant temperature is above the engine protection warning limit.	3807	666	17	
Inactive	Engine	Aftertreatment Diesel Exhaust Fluid Tank Level - Data Valid But Below Normal Operating Range - Least Severe Level: The aftertreatment diesel exhaust fluid tank level is low. - First occurrence: 11829 04:28. Last occurrence: 11838 04:23	3801	666	1	
Inactive	Engine	Aftertreatment Diesel Exhaust Fluid Tank Level - Data Valid But Below Normal Operating Range - Moderately Severe Level: The aftertreatment diesel exhaust fluid tank level is very low. - First occurrence: 11862 25 08. Last occurrence: 11862 25:08	3802	666	1	
Inactive	Engine	Engine Protection Torque Derate - Condition Exists. Critical fault codes related to engine operation are active. - First occurrence: 11862 25:08. Last occurrence: 11862 25:09	3714	666	1	

VAN HOOL N.V. Lier 2500 BELGIUM

Year of construction: 05/16

R: 54.000 Lb

	GAWR	TIRE SIZE LOAD RANGE	RIM SIZE	COLD INFLATION PRESSURE
Front	17.640 Lb	315/80R22,5 - L	9,00x22,5	125 Psi (Single)
First intermediate	27.575 Lb	315/80R22,5 - L	9,00x22,5	110 Psi (Dual)
Rear	17.640 Lb	315/80R22,5 - L	9,00x22,5	125 Psi (Single)

This vehicle conforms to all applicable U.S. Federal Motor Vehicle Safety Standards in effect on the date of manufacture shown above.

GVWR and GAWR are based on ORIGINAL equipment. Any change may affect vehicle capacities. See Owner's Manual for other tire and capacity information.

Vehicle identification number : -YE2XC82B8G3049089-
Classification : BUS

PRODUCTION NUMBER

N°

49089

SOUTHERN CALIFORNIA'S



M COACH

US DOT- 824330
MC-36642
CA-183070
TCP-12763 A
DOUBLE M EXPRESS
LA MIRADA, CA

ride coach.com



VAN HOOOL





MCOACH rideMcoach.com

US DOT - 824330
MC-36642
CA-183070
TCP-12763-A
DOUBLE H EXPRESS
LA MIRADA, CA.

2035

Now Hiring
DRIVERS
Call today for more info

theMcoach.com

HEROADFORWARD



2035

Now
**NOW HIRING
DRIVERS**
A career with us
Call us 0800 770 770

rideMcoach.com

THE ROAD FORWARD

Volvo





MCOACH

rideMcoach.com

rideMcoach.com

THE ROAD JOURNAL





MONITOR

MODE



D









NO YES

ATTENTION

- 1. PULL DOWN THE BLUE
- 2. PULL DOWN THE WHITE
- 3. PULL DOWN THE BLUE
- 4. PULL DOWN THE WHITE
- 5. PULL DOWN THE BLUE
- 6. PULL DOWN THE WHITE
- 7. PULL DOWN THE BLUE
- 8. PULL DOWN THE WHITE

THANK YOU
PORTA-TOILET CORPORATION



Repair Monitor

3 Active Fault(s) Present

2016 Van Hool Vehicle

- Commins 12.0L 18X
- Allison 3000/4000 5th Gen
- Brakes
- Bendix SmartTrac Standalone TPMS
- Bendix SmartTrac TPMS In-Cab Display

Vehicle Information

VIN: YD2K22802384099
 Manufacturer: Van Hool
 Model: CX
 Model Year: 2016

Status	Component	Description	Lookup Code	FMI	Count
Action	Brakes	SAB - Controller #1 - Bad intelligent device or component	SPN 425	12	4
Action	Tire Pressure Controller	Tire Pressure Second Level Pressure Low	SPN 241	3	N/A
Action	Tire Pressure Controller	No Reception For Tire Sensor	SPN 326	12	N/A
View	Engine	Power Supply Lost With Junction On - Data Invalid, Intermittent, or Incorrect. Supply voltage in the ECM fell below 5.2 VDC momentarily, as the ECM was not allowed to power down correctly (before battery voltage for 30 seconds after key OFF). - First occurrence 8126(13H0): Last occurrence 11891(18:32)	1117	12	9
View	Engine	Engine Coolant Temperature - Data Valid But Above Normal Operational Range - Least	2952	12	32



Clear Faults



Click to Launch Freeze Frame



Malfunction Indicator



Red Stop



Bendix Learning



Protect

Cruise Spd Limit

71 mph

Battery Potential

283 volts

Road Speed Limit

74 mph

Total Avg Fuel Econ

63 mpg

Total Engine Hrs

116002 hrs

Odometer

3273432 mi

Engine Speed



DPF Soot Level

Low

DPF Derate

Low

Click to View Consumable Fluids

Total Idle Hrs

40342 hrs

Idle Fuel Used

47366 gal

Type here to search







VANHOOL

AB
Prestige

r

n

BUS.COM

Engine No. 75048584
Family FCExH0729XAE
Model ISX12 425MC
Date of Mfg. 12/15
Idle Speed RPM 600-800
Ref. No. 11438416

Advert. HP 425
Peak Torque (FT-LB) 1650
Fuel rate at Advert. HP 238
Valve Lash Cup (in/mm) 0.014 / .355

DELEGATED



VANHOOL

ABC

