





VANHOOL

284

07-5049

California
14237D2



284

VOLVO

14237A

14237A









REMAIN SEATED
SAFETY BELTS




284

VANHOOL

07-5049

14237D2



Mfd by VAN HOOL

Month / Year of construction:

06/15

54.000 Lb

GAWR	TIRE SIZE LOAD RANGE	RIM SIZE	COLD INFLATION PRESSURE
17.640 Lb	315/80R22,5 - L	9,00x22,5	125 Psi (Single)
27.575 Lb	315/80R22,5 - L	9,00x22,5	110 Psi (Dual)
17.640 Lb	315/80R22,5 - L	9,00x22,5	125 Psi (Single)

conforms to all applicable U.S. Federal Motor Vehicle Safety
effect on the date of manufacture shown above.

GAWR are based on ORIGINAL equipment. Any change
vehicle capacities. See Owner's Manual for other tire and
information.

Identification number : -YE2XC21B1F3048718-

Location : BUS

PRODUCTION NUMBER

N^o

48718



MOTOROLA

XPR 5350

P1

P2

P3

P4













vmin 15 mph vmax 80 mph



A close-up photograph of the front left wheel and side panel of a white vehicle. The wheel features a multi-hole chrome hubcap and a black tire. To the left of the wheel is a small, oval-shaped fog light. The side panel is white with a silver-colored trim strip. A black rubber fender deflector is mounted below the wheel. The vehicle is parked on a light-colored, scratched concrete floor.

Operated By
Loop Transportation Inc.
TCP 28862-A









Loop 11111111
TCP 28862-A

















Operated By
Loop Transportation Inc.
TCP 62-A

