







Ditch Witch

JT10

CUSTOM  
TRAILERS



FOURIE BROS  
Auction





Ditch  
Witch

TU96L24

© 2015 Ditch Witch





ST 2 3 5/8 OR 16

L.R.G  
14 PR

PLIES: TREAD STEEL 4, SIDEWALL STEEL 1  
MAX. LOAD SINGLE 1850kg (4080 LBS) AT 760kPa (110 PSI) COLD  
MAX. LOAD DUAL 1650kg (3640 LBS) AT 760kPa (110 PSI) COLD





**CAUTION**  
Re-torque as specified at 50 miles  
and at 100 miles and after each  
wheel removal. Check periodically  
thereafter.

customtrailers-ga.com



Custom Trailers - GA  
www.customtrailers-ga.com







**WARNING**  
Do not attempt to  
operate this machine  
unless you have read  
the Operator's Handbook  
and are familiar with  
all safety devices.  
Unauthorized use may  
result in injury or death.  
Read the handbook  
before operating this  
machine.



3:03pm



62 °F

*Ditch Witch*

71 PSI

307

14.6 Volts

TD RECON™

- Logging Mode
- New Log
- Log Manager
- TMS PLUS
- Delete All Logs
- Delete Last Pipe



BRITCHE BROS.  
Auction







MODEL	TD 2.9 L4		120R	000136
KW	49,0 SPEC		24R	033147
RPM	2200 CSPEC	195-2590	SERNO	12723476
	FT		C4DI49	

EM-EXP. ENGINE NOT FOR USE IN  
EU NON-ROAD MOBILE MACHINERY

DISPL 2.925 MPQDATE 07/2021



DEUTZ AG OTTOSTRASSE 1, D-51149 KOELN

EMISSION CONTROL INFORMATION

THIS ENGINE COMPLIES WITH U.S. EPA REGULATIONS FOR  
2021 NONROAD / STATIONARY DIESEL ENGINES AND CALI-  
FORNIA REGULATIONS FOR 2021 OFFROAD COMPRESSION  
IGNITION ENGINES. FAMILY-MDZXLO2.9020 37-56KM  
ECS:DDI,TC,EGR,ECH,DOC

FUEL: DIESEL ULTRA LOW SULFUR FUEL ONLY



MADE IN GERMANY



01223552





3:03pm




62 °F

*Ditch Witch*

71 PSI

307

14.6 Volts





1255097

111 1022 MADE IN USA



MANUFACTURED BY :

B & B FABRICATION LLC

DATE OF MFG. : 10/2021

112 MAIN STREET

GVWR : 4531 KG (9990 LB)

MILNER, GA 30257

PH: 770-358-8122

GAWR (EACH AXLE)

WITH TIRES

RIMS AT

COLD

3175 KG (7000 LB)

235/80R 16

16

552 KPA (80 PSI) DUAL

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S. FEDERAL MOTOR VEHICLE SAFETY STANDARDS  
IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE

V.I.N. : **1B9C2FC24NM981013** TYPE : TRAILER

CT7T162EDW

The weight of cargo should never exceed  
2,808 kg or 6,190 lbs.

<u>TIRE</u>	<u>SIZE</u>	<u>COLD TIRE PRESS.</u>
FRONT	235/80R 16	552 KPA (80 PSI)
INTER	NONE	
REAR	235/80R 16	552 KPA (80 PSI)
SPARE	NONE	



PHOTOMETRONS