



Unit 339
VIN: 67370

MCI

339

07-5140

California
79504Y1



MCI

339

07-5140

79504Y1



339

MCI

07-5140

79504Y1





















2017			2018			2019			2020			2021	
JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC		
DO NOT REMOVE Fresno (888) 520-3520 Turlock (800) 943-1499 N v B EQUIPMENT AIR CONDITIONING GAS DETECTION FIRE SUPPRESSION Service Fire System Every 6 Months. 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31												Service	☐
												Recharge	☐
												Install	☐









GVWR: 24494 KG

	KG(LB)	TIRE/PNEU	RIM/JANTE	KPA (PSI)
FRONT:	7484 KG(16500 LB)	315/80R22.5 J	22.5 X 9	827 KPA(120)
INTERMEDIATE:	10433 KG(23000 LB)	315/80R22.5 J	22.5 X 9	690 KPA(100)
REAR:	7484 KG(16500 LB)	315/80R22.5 J	22.5 X 9	827 KPA(120)

VEHICLE IDENTIFICATION NUMBER: 2MG3JM8A6GW067370

VEHICLE TYPE: BUS

MCI MODEL: J4500



THIS VEHICLE CONFORMS TO ALL APPLICABLE
U.S. FEDERAL MOTOR VEHICLE SAFETY STANDARDS
IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

VEHICLE EMISSION CONTROL INFORMATION
MOTOR COACH INDUSTRIES INC.

DATE OF MFR: SEP 2015

FAMILY NAME: GMCH2VOCVMCI

VEHICLE FAMILY: VOCATIONAL

SUB-CATEGORY: VEHICLE OVER 33000 LBS. GROSS
EMISSION CONTROL





DATE OF MFR:

	KG(LB)	TIRE/PNEU	RIM/JANTE	GVWR: 24494 KG(5400 LB)	KPA (PSI)
FRONT:	7484 KG(16500 LB)	315/80R22.5 J	22.5 X 9		827 KPA(120 PSI) COLD SINGLE
MID/INTERMEDIATE:	10433 KG(23000 LB)	315/80R22.5 J	22.5 X 9		690 KPA(100 PSI) COLD DUAL
REAR:	7484 KG(16500 LB)	315/80R22.5 J	22.5 X 9		827 KPA(120 PSI) COLD SINGLE

VEHICLE IDENTIFICATION NUMBER: 2MG3JM8A6GW067370

VEHICLE TYPE: BUS

MCI MODEL: J4500



MOTOR COACH
INDUSTRIES

THIS VEHICLE CONFORMS TO ALL APPLICABLE
U.S. FEDERAL MOTOR VEHICLE SAFETY STANDARDS
IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

03-16-7678

24 HOUR

VEHICLE EMISSION CONTROL INFORMATION
MOTOR COACH INDUSTRIES INC.

DATE OF MFR: SEP 2015
FAMILY NAME: GMCH2VOCVMCI
VEHICLE FAMILY: VOCATIONAL
SUB-CATEGORY: VEHICLE OVER 33000 LBS. GVWR
EMISSION CONTROL SYSTEM: LRRA



MOTOR COACH
INDUSTRIES

THIS VEHICLE COMPLIES WITH U.S. EPA
REGULATIONS FOR 2016 HEAVY
DUTY VEHICLES

03-26-1020







07-5140

79504Y1

339

MCI

07-5140

California
79504Y1









184213.7 mi
LOW REAR AIR

















CAUTION

BEFORE SERVICING THIS EQUIPMENT, READ THE FOLLOWING INSTRUCTIONS CAREFULLY. FAILURE TO FOLLOW THESE INSTRUCTIONS MAY RESULT IN PERSONAL INJURY OR PROPERTY DAMAGE.

1. Disconnect the battery negative terminal before working on the electrical system.

2. Do not touch the engine or any hot surfaces.

3. Do not use open flames or sparks near the engine or fuel system.

4. Do not use the engine as a hoist or support for any load.

5. Do not use the engine to lift or move any person or object.

6. Do not use the engine to power any hydraulic system.

7. Do not use the engine to power any other equipment.

8. Do not use the engine to power any other equipment.

9. Do not use the engine to power any other equipment.

10. Do not use the engine to power any other equipment.

WARNING

DO NOT OPEN SURGE TANK CAP WHEN HOT

OBD

WARNING

OBD