







practicalpro



PO ARQUE BROS

WARNING
DO NOT OPERATE
MACHINE
WITHOUT PANELS!

KEEP OPERATOR AND
PASSER POINTS CLEAR
TO AVOID COLLISION
INJURIES. KEEP HANDS AND
FEET AWAY FROM MOVING POINTS.

CAUTION

EYE AND EAR PROTECTION
MUST BE WORN AT ALL
TIMES WHILE OPERATING
THIS EQUIPMENT.

TANK DOOR OPERATION

TO LOCK DOOR

1) Must be in NEUTRAL,
no pressure or vacuum.

2) Close and lock door.

TO UNLOCK DOOR

1) Must be in NEUTRAL,
no pressure or vacuum.

2) Unlock and open.

IF DOOR WON'T OPEN

1) Run full throttle to full vacuum.

2) Shut the unlock button

for 3 seconds, then repeat

3) Place in NEUTRAL.

4) Push unlock button and

door unlocks. Repeat if

necessary. Shutting off when it

beams near door stops

prevents air transfer door

pressure. (HITACHI)

MAINTAIN ALL PERSONNEL

AND CLEAR DURING OPERATION



Warning: Do not
lean against
equipment.
Keep all parts
of body,
clothing and
items well clear.

FRITCHIE BROS
INC.



fb RITCHIE BROS





200
Hrs
12/02/25









129CCC-15A10CC
245A3147FO_5711





RITCHIE BROS.

Auction

MANUFACTURED BY / FABRIQUÉ PAR:
VERMEER MV SOLUTIONS INC., PIEDMONT, SOUTH CAROLINA 29673, USA

DATE 10/2024 GAWR (EACH) / PNBE 3175(kg) 7000(lb)
GWR / PNBV 6350.5(kg) 14000(lb) MODEL LPSDT

TIRES / PNEU COLD TIRE INFL / PRESS. DE GONFL. À FROID RIMS / JANTE
235/80 R16 (E) 552(kpa) 80(psi) 16 x 8

OR

THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE. THIS VEHICLE CONFORMS TO ALL APPLICABLE STANDARDS PRESCRIBED UNDER THE CANADIAN MOTOR VEHICLE SAFETY REGULATIONS IN EFFECT ON THE DATE OF MANUFACTURE / CE VÉHICULE EST CONFORME À TOUTES LES NORMES QUI LUI SONT APPLICABLES EN VERTU DU RÈGLEMENT SUR LA SÉCURITÉ DES VÉHICULES AUTOMOBILES DU CANADA EN VIGUEUR À LA DATE DE SA FABRICATION.

VIN / NIV *7NWH19A6XSK051160*

TYPE TRAILER TRA/REM



7000J124 Rev B





