






ANTHOL













Mfd by VAN HOOL N.V. Lier 2500 BELGIUM

Month / Year of construction: 02/15

GVWR: 54.000 Lb

	GAWR	TIRE SIZE LOAD RANGE	RIM SIZE	COLD INFLATION PRESSURE
Front	17.640 Lb	315/80R22,5 - L	9,00x22,5	125 Psi (Single)
First intermediate	27.575 Lb	315/80R22,5 - L	9,00x22,5	110 Psi (Dual)
Rear	17.640 Lb	315/80R22,5 - L	9,00x22,5	125 Psi (Single)

This vehicle conforms to all applicable U.S. Federal Motor Vehicle Safety Standards in effect on the date of manufacture shown above.

GVWR and GAWR are based on ORIGINAL equipment. Any change may affect vehicle capacities. See Owner's Manual for other tire and capacity information.

Vehicle identification number : -YE2XC21B3F3048574-
Classification : BUS

PRODUCTION NUMBER

N^o

48574




























VANHOOL

ABC



 **DETROIT**
CUSTOMER SERVICE
AUSTRALIA: 1-800-023-236
EUROPE/MIDDLE EAST/AFRICA: 44-162-355-0550
USA / CANADA: 1-800-445-1980
MEXICO: 01-800-902-7100



IMPORTANT ENGINE INFORMATION

FUEL RATE AT ADV. HP: 282.4 MM3/STROKE
INITIAL INJECTION TIMING: 17.0 DEG BTC
ENGINE FAMILY: EDOXH12.8FEO
UNIT: 471934S0294711

DISP: 12.8 LITERS

ADV HP: 500 @ 1800 RPM MODEL: 0013

MFG. DATE: OCT 2014 MIN IDLE: 600 RPM

VALVE LASH: EXHAUST 0.6 MM INTAKE 0.4 MM

"DELEGATED ASSEMBLY"

"ESS EXEMPT"

EMISSION CONTROL SYSTEMS: PDI, TC, CAC,

ECM, EGR, OC, PTOX, SCR-U, AMOX

"FOR USE IN VOCATIONAL OR TRACTOR
VEHICLES"

THIS ENGINE CONFORMS TO U.S. EPA AND
CALIFORNIA REGULATIONS APPLICABLE TO
2014 MODEL YEAR NEW HEAVY DUTY DIESEL
CYCLE ENGINES. THIS ENGINE HAS A PRIMARY
SERVICE APPLICATION AS A HEAVY HEAVY DUTY
ENGINE. THIS ENGINE IS NOT CERTIFIED FOR
USE IN AN URBAN BUS AS DEFINED AT
40 CFR 86.093-2. SALE OF THIS ENGINE FOR
USE IN AN URBAN BUS IS A VIOLATION OF
FEDERAL LAW UNDER THE "CLEAN AIR ACT. THIS
ENGINE IS CERTIFIED TO OPERATE ON ULTRA
LOW SULFUR DIESEL FUEL.



